

54.95 EUR

incl. 19% VAT, plus shipping



This beautiful enclosure for Mini-ITX can be equipped with every mainboard where CPU heatsink height does not exceed 5,8cm. At the front side there are 2 removeable bezels which hide connectors for 2x USB, 1x Mic, 1x Line-Out, 1x 4pol power and 1x SATA.

Because of the integrated ATX 120W power supply and the external 84W AC/DC adapter you fanless can power also systems with higher performance. For using the system as a car-pc you can exchange the internal PSU against a M2-ATX(-HV) Automotive power supply.

When system is turned on, the front bezel is enlightened in blue power.

### Installation notes

Mögliche Konfigurationen (Mini-ITX)	1x 2.5" HDD/SSD
Max. CPU-heatsink/fan height	48 mm

### Specifications

Größe	190 x 250x 60 mm
Gewicht	1,8kg (2,5kg mit Zubehör und Verpackung)

Internal Power Supply	Built-in 120W DC power board (size compatible with M2-ATX(-HV))
Power supply connectors	1x P4 1x ATX 20/24 pol 1x 2.5" PATA 2x 3,5" PATA 1x SATA
External AC Adapter	-- Input (AC 100~240 V) -- Output (DC 12V, 7A) 84W
Front Access	2 x USB(2.0), 1x Mic, 1x Line-Out + 1x 3.5" PATA Stromanschluss, 1x SATA
<b>Scope of supply</b>	<ul style="list-style-type: none"> <li>- MHero-S-B Mini-ITX/Micro-ATX enclosure</li> <li>- Fanless external power adapter 84W + EU power cord</li> <li>- Fanless internal power supply 120W</li> <li>- Plastic stands</li> <li>- 40mm enclosure fan</li> <li>- Screws</li> </ul>

