


999.00 EUR

incl. 19% VAT, plus shipping



Assemble the perfect small form factor system for all your computing demands with the flexible ZOTAC® H61-ITX WiFi mini-ITX platform. The ZOTAC® H61-ITX WiFi supports socket LGA1155 2nd generation Intel® Core™ family processors with turbocharged Intel® HD Graphics to let users select the perfect amount of processing power for their needs – whether it is dual or quad-core, with or without Intel® HyperThreading™ technology.

Demanding gamers can install a standard PCI Express x16 ZOTAC® graphics card in the H61-ITX WiFi to form a perfect miniature gaming PC that delivers big system power in a miniature form factor. A mix of four total SATA 3.0 Gb/s and eSATA ports on the ZOTAC® H61-ITX WiFi enable users to maximize storage connectivity and complete the ultimate home theatre PC or home file server.

Product Name

Product Name ZOTAC H61-ITX WiFi

Model

Model H61ITX-A-E

Chipset

Manufacturer Intel®

Chipset H61 Express

GPU Intel® HD Graphics 2000/3000 ready

CPU Compatibility

Name 2nd Generation Intel® Core™ series
 2000 Series Intel® Core i3 i5 and i7 ready

Socket LGA1155

Bus N/A

Memory

Memory Type DDR3

Memory Speed	1333 MHz
Slots	2 x 240-pin DIMM
Capacity	Up to 16GB

CPU and Memory Compatibility List

CPU and Memory Compatibility List see above

3D API

DirectX	DirectX® 10.1
OpenGL	OpenGL® 2.1

Expansion

Slots	1 x PCI Express x16 1 x Mini-PCI Express (occupied by WiFi card)
-------	---

Networking

Ethernet	10/100/1000Mbps
WiFi	802.11n

Audio

Analog	na
Digital	na

Ports

DVI	1 (HDCP)
HDMI	1 (HDMI 1.4a)
Display Port	1
VGA	With included adapter
SATA	3 (SATA 3.0 Gb/s)
eSATA	1
PATA	N/A
PS/2	1
Serial Port	Serial port header
USB Ports	4 USB 3.0 (2 on back panel / 2 on pin header) 8 USB 2.0 (4 on back panel / 4 on pin header)
FireWire Ports	N/A

Cooler

Cooler	Passive (no fan)
--------	------------------

Form Factor

Form Factor	mini-ITX
-------------	----------

OS Compatibility

Windows	Windows® Vista / 7 ready
---------	--------------------------

General

SLI Supported	No
Maximum Resolution	2048 x 1536

Other

Wake-On Support	na
Overclocking features	No

Packaging

Package Contents

- 3 x SATA cables
- 1 x DVI-to-VGA adapter
- 1 x I/O back plate
- 2 x WiFi antennas
- 1 x 4-pin power extension cable

Graphics Output

- 1 DVI / 1 HDMI / 1VGA / 1 DP