



98.95 EUR

incl. 19% VAT, plus shipping

- **ARM9 !**
- **256MB RAM !**
- **4x USB2.0, 1x LAN !**
- **Linux / Android support !**

pico-SAM9G45 is an ARM based mainboard in Pico-ITX format with many features and functions.

pico-SAM9G45 is highly extensible and permits adding many features and interfaces. This system board is at the core of a series of small, low cost systems with touch screen displays, oriented towards modular hardware I/O configurations.

Features :

- SAM9G45 pico-ITX compatible SBC (80x100mm)
- ARM9, 400Mhz, ARM926EJ-S, 32/32K
- 256MB DDR2
- 4 USB 2.0 ports 480Mbps, shared
- 1 miniPCI-e with USB only support
- 10/100 Mbps Ethernet
- SD card reader
- SIM card slot
- Bootable microSD
- 5V power via microUSB
- 6-40V support via DC barrel connector
- High endurance ceramic and SP capacitor design
- Expansion header for SPI, I2C, RS232

- Native support 480 x 272 LCD (higher resolution possible)
- WIFI support via miniPCI-e with USB
- Buzzer
- Plastic enclosure with multiple mounting options. (sold separately, available Q3 2012)
- Ideal for development or OEM use.
- Linux / Android boot options.

[pico Wiki](#)