



159.00 EUR

incl. 19% VAT, plus shipping

Support:  [Specifications](#)

- Intel Atom D525 + NM10 Chipset
  - Support INTEL® Atom Dual-Core D525 CPU
  - Support 2 \* 3Gb/s SATAII
  - Support 2 \* DDR3 800MHz Single CH SO-DIMM up to 4GB
  - Supports 1 \* Gigabit LAN
  - Support 6 \* COM ports (COM2 for RS232/422/485)
  - Integrated Realtek ALC662 HD Audio CODEC with 6-CH
  - Support Watchdog Technology
  - Support CPU Smart FAN
  - Mini-ITX Form Factor(170mm x 170mm)
- |                          |   |
|--------------------------|---|
| • <b>CPU</b>             | • INTEL® Atom Dual-Core Processor D525 (45nm,1.80GHz,1024MB L2 Cache) |
| • <b>Chipset</b>         | • INTEL® Atom D525 + NM10   |
| • <b>Memory</b>          | • 2 * DDR3 800MHz Single CH SO-DIMM up to 4GB                         |
| • <b>Expansion Slots</b> | • 1 * PCI slot, 1 * Mini PCI-E socket                                 |
| • <b>Storage</b>         | • 2 * Serial ATA2 3Gb/s connectors                                    |

- **Audio**
  - Realtek ALC662 6-Channel HD Audio CODEC
- **Ethernet LAN**
  - 1 \* Realtek RTL8111EVL Gigabit LAN
- **LVDS**
  - Onboard 24-bit single channel LVDS connector
- **USB**
  - Embedded 7 \* USB 2.0/1.1
  -
- **Rear Panel I/O**
  - 4 \* USB 2.0/1.1 ports
  - 1 \* PS/2 Mouse & Keyboard connector
  - 1 \* RJ-45 port
  - 3 \* Audio I/O ports ( Line-in, Mic and Line-out )
  - 1 \* VGA port
  - 1 \* COM port
  - 1 \* Parallel port
  - 1 \* 12V DC-in jack
- **Internal I/O**
  - 3 USB 2.0 ports
  - 3 \* NB / Chassis Fan connectors;
  - 1 \* 24-pin ATX Power connector
  - 1 \* LVDS header/ 1\* CD IN /1 \* GPIO
  - 1 \* AUDIO header
  - 5 \* COM headers (COM2 for RS232/RS422/RS485)
- **BIOS**
  - AMI 8MB DIP Flash ROM
- **Functional**
  - ATM, KIOSK, POS Machine, Digital Signage, General Application
- **Packing**
  - Color Box Dimension : 200(W) x 200(D) x 70(H)mm
- **Certificate**
  - CE, FCC, RoHS
- **Temperature**
  - Operating within 0~40 centigrade
  - Storage within -20-85 centigrade
- **Form Factor**
  - Mini ITX Form Factor(17cmx17cm)