

278.00 EUR

incl. 19% VAT, plus shipping



- INTEL® Cedar Trail-M Processor N2600 + NM10 Chipset
- Support 1 * DDR3 800MHz Single CH up to 4GB
- Support DirectX 9 Graphics up to 640MHz
- Support 1 * Serial ATAll (3Gb/s) Devices
- Support Dual Gigabit LAN
- Support DVI-I Output
- Equipped with 802.11 b/g/n WiFi card & Internal Antenna (JBC372F36W-2600-B only)
- Support 4 * COM ports
- Support 2.5" SATA HDD
- Support Mini PCI-E socket
- Support CFast card socket
- Provides Wall mount bracket & VESA mount (option)

Model No

JBC372F36-2600-B / JBC372F36W-2600-B

Motherboard Specification

CPU

INTEL® Cedar Trail-M Processor N2600
(1.6GHz)

Chipset

INTEL®NM10 Express chipset

Memory	1 * DDR3 800MHz Single CH SO-DIMM up to 4GB	
Expansion Slots	1 * Mini PCI-E	
LAN	2 * Realtek RTL8111EVL PCI-E Gigabit Ethernet LAN	
Audio	Realtek ALC662 HD Audio CODEC with 4-Channel	
Storage	1* Serial ATA2 3Gb/s connector 1 * CFast card socket	
BIOS	AMI 16MB SMT Flash ROM	
Form Factor	3.5" SBC (148mm x 102mm)。	
Barebone Specification		
Product size	180 (W) *142 (D) * 48 (H) mm	
Specs Devices	1 x 2.5"HDD Drive Bay (Only support SATA 2.5"HDD)	
Colors	Black	
Front I/O Port	1 * Power button & 1 * Reset button 1 * Line-OUT & 1 * MIC jack 2 * USB 2.0 ports 4 * COM ports 2 * Antenna holes	
Rear I/O Port	4 * USB 2.0 ports 2 * RJ-45 port(Gigabit LAN) 2 * Antenna holes Reserved	1 * 12V DC jack 1 * Line-out port & 1 * DVI-I port 1 * VGA port
Power supply	+12V DC-IN Power	

Accessory

60W AC-DC Adapter x 1 Power Cord x 1
CD x 1 Manual x 1
DVI-I to CRT Converter x 1 WI-FI antenna *
1 (JBC372F36W –2600-B only)
Wall Mount Bracket x 2 LCD VESA Mount
Bracket (optional) x 1

Application

Kiosk, Digital Signage, Gaming machine, Set Top
Box, Thin Client, Car PC Application, Factory
Automation & Embedded Fanless application

Packing

Color Box Dimension : 417(W) x 137(D) x
296(H)mm
Gross Weight : 2.6KG Net Weight :
2.1KG