



249.00 EUR

incl. 19% VAT, plus shipping

- INTEL® Celeron 1047UE Processor + HM65 Chipset
- Support 2 * DDR3 1600/1333MHz Dual CH up to 16GB
- Support DirectX 9 Graphics
- Support 1 * Serial ATAII (3Gb/s) & 1 * Serial ATAIII (6Gb/s) Devices
- Integrated Realtek ALC662 HD Audio CODEC with 2-CH
- 2 * 24 bits Dual Channel LVDS header
- Supports 1 * Realtek RT8111F Gigabit LAN
- Support 4 * COM ports (COM1 & COM4 support RS232/422/485)
- Support Windows 8
- Support Watch dog Technology
- Support +9V~+24V Wide range power DC-in
- Support CPU Smart FAN
- Compliance with ErP standard
- Thin Mini-ITX Form Factor (170mm x 170mm)

• **CPU**

• INTEL® Celeron 1047UE Dual Core Processor (1.4GHz)

• **Chipset**

• INTEL®HM65 Express chipset

• **Memory**

• 2 * DDR3 1600/1333MHz Dual CH SO-DIMM up to 16GB

- **Expansion Slots**
 - 1 * PCI –E x 16 slot
- **Storage**
 - 1 * Serial ATA2 3Gb/s & 1 * Serial ATA3 6Gb/s connectors
 - 1 * full size mSATA socket (Selectable W/Mini PCI-E)
- **Audio**
 - Realtek ALC662 2-Channel HD Audio
- **Ethernet LAN**
 - 1 * RTL8111F PCI-E Gigabit LAN
- **LVDS**
 - Onboard 2 * 24-bits Dual channel connector
- **USB**
 - Embedded 7 * USB 2.0/1.1
 -
- **Special Features**
 - Support ACPI S3
 - Support CPU Smart FAN
 - Support Watch Dog
- **Rear Panel I/O**
 - 3 * USB 2.0/1.1 ports
 - 1 * RJ-45 port
 - 1 * Line-out connector
 - 1 * HDMI port
 - 1 * COM port (COM1 for RS232/422/485)
 - 1 * +9V~+24V DC in jack
- **Internal I/O**
 - 2 * USB 2.0/1.1 headers for 4 USB 2.0 ports
 - 1 * VGA header
 - 1 * PS/2 header
 - 1 * Chassis Intrusion
 - 2 * NB / Chassis Fan connectors;
 - 2 * LVDS headers /2 * Inverter headers
 - 1 * AUDIO header
 - 1 * Chassis Intrusion
- **BIOS**
 - AMI 32MB UEFI DIP Flash ROM
- **Functional**
 - Panel PC, All-in-One PC, Digital Signage, POS Machine
- **Packing**
 - Color Box Dimension : 200(W) x 200(D) x 70(H)mm
- **Certificate**
 - CE, FCC, RoHS
- **Temperature**
 - Operating within 0~40 centigrade
 - Storage within -20-85 centigrade
- **Form Factor**
 - Thin Mini ITX Form Factor(17cmx17cm)