



579.00 EUR

incl. 19% VAT, plus shipping

- **LED-Backlight !**
- **Audio speakers !**
- **Auto-PowerOn !**
- **High contrast !**



New : LED-Backlight-Technology, with optimized color saturation enabling particular high and shining display. The scale of displayable color nuances is increased by 45% because of the new technology. Conventional LCDs are based on CCFL backlight, which can display approx. 72% of the standard color scale of NTSC (National Television Systems Committee). With LED-Backlight-Technology 104% of the NTSC-color scale can be displayed. This results in displaying in a highly realistic manner.

The new CTFHD-840 TFT-Display is the latest development from CarTFT.com and comes with many nice features. In any case it is the ideal display- and input-unit for your Laptop, CarPC or HTPC. With the touchscreen functionality you easily can control your PC. The brilliant HDMI-display ensures a maximum readability and sharpness.

The device has among other features integrated speaker and an rear camera input.

AC-Adapter for home usage and a car cigarette lighter adapter is included as well as the IR-remote-control unit and the extra long (2,5 meters) All-In-One connector cable.

The CTFHD-840 can be used with any PC/MAC with HDMI- and USB port.

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,..
- Macintosh OS 9.x, 10.x
- DOS,..

Spezifikationen

<i>Screen size</i>	8.4" digital
<i>Aspect Ratio</i>	4:3 wide TFT screen
<i>Dot Resolution</i>	2400x600= 1,440,000 dots
<i>Physical Resolution</i>	800x600
<i>Supported Resolutions</i>	640x480-1920x1080
<i>Color configuration</i>	RGB stripe
<i>Power input</i>	DC 12VDC
<i>Power consumption</i>	max. 10W
<i>Video system</i>	3x Video inputs (PAL/NTSC) 1x HDMI input
<i>Dimensions</i>	Display Case : 232mm x 162mm x 36mm Display : 162 x 122 mm
<i>Video input signal</i>	1.0Vp-p, composite video
<i>Brightness</i>	450 cd/m ² (on request also available as Ultra-variant with 1000 nits)
<i>Contrast</i>	600:1
<i>Vibration</i>	IEC68-2-6
<i>Operating Temperature</i>	-30° bis 85°C
<i>Features</i>	Full function OSD control (englisch) Built-in speaker VESA compliant mounting holes (75mm) + metal rail Auto Power On/Off Auto-Dimmer LED backlight Automatic switching to rear camera (signal sensing on AV3)
<i>What is included ?</i>	- 8.4" HDMI Touchscreen TFT with Video/Audio-support - Infrared Remote Control - Car dash mounting bracket - Touchscreen pencil - HDMI/Video/Audio/Touchscreen-cable (all-in-one !) 2,5 meters length - Power Adapter f. EU 230V

- Cigarette Lighter Adapter
- Touchscreen Driver-CD
- Manual