



249.00 EUR

incl. 19% VAT, plus shipping

- **2x Gigabit LAN !**
- **Metal enclosure !**
- **VESA Mount !**
- **WLAN/BT !**

- Intel® Celeron® processor N3060
- 2 x SO-DIMM DDR3L slots
- 2 x GbE LAN ports (Realtek RTL8111HS)
- 8GB onboard eMMC memory
- 1 x Full-size Mini-PCIe slot for 3G module or mSATA storage
- 1 x SDXC card slot
- Supports Windows 7/ 8.1/ 10 and Android 5.1

CPU

Intel® Celeron® processor N3060
2 cores, 2 threads
1.6 - 2.48 GHz
2MB L2 cache
6W max. TDP

Memory

2 x SO-DIMM slots
1.35V DDR3L memory
Up to 8GB
1333/1600MHz

Flash Memory	8GB eMMC
LAN	2x GbE LAN ports (Realtek RTL8111HS)
Video	Intel HD Graphics supports dual display Max. resolution via HDMI ports: 3840 x 2160 @ 30Hz or 2560 x 1600 @ 60Hz with 2 memory installed Max. resolution via eDP: 2560 x 1440 @ 60Hz with 2 memory installed
Audio	Realtek ALC255 controller Supports 2/4/5.1/7.1 channel configurations via HDMI
Expansion	1 x Full-size Mini-PCIe slot (for 3G module or mSATA storage) 1 x Half-size Mini-PCIe slot (for pre-installed WiFi+BT module) 1x TPM Pin header <i>Pre-installed:</i> - 1 x WiFi + Bluetooth card - Intel Dual Band Wireless-AC 3160 - Supports IEEE 802.11b/g/n/ac - Supports Bluetooth 4.0 - Bluetooth function does not support under Windows 7 embedded OS
Rear I/O	1x DC-in 2x HDMI v1.4b 2x RJ45
OS Compability	Windows 10 64bit Windows 8.1 64bit Windows 7 32bit / 64bit Ubuntu 15.10 Ubuntu 16.04 LTS Android 5.1
Power supply	AC 100~240V 19V DC-in 65W/3.42A
Storage	1x SDXC card slot
Front I/O	4x USB 3.0 1x SDXC card slot 1x Headphone-out / MIC-in 1x Power button with LED 1x HDD activity LED 3x LEDs reserved for user configuration
Motherboard	MZBSWFP
Dimensions	140.8 x 107.5 x 27 mm
Weight	560g

Side I/O

1x Micro-B USB 2.0

1x Micro-B 5-pin *RS232 full-duplex port (TxD, RxD, CTS, RTS, GND)

1x Kensington Lock

Operating Properties

Operating temperature: 0°C to 40°C

Operating humidity: 0%-90% (non-condensing)

Non-operating temperature: -20°C to 60°C

Non-operating humidity: 0%-95% (non-condensing)