

169.00 EUR

incl. 19% VAT, plus shipping

- **GPS/GLONASS/GSM/4G/5G !**
- **WLAN / Bluetooth !**
- **Active antenna !**
- **SMA connectors !**



Support:  [Specifications](#)

The Gar VFQ69383x21JN VFQ69383B21JN-518L multiport/multiband antenna provides an excellent solution for public safety, transportation, and aftermarket fleet applications. Configured for two-port operation over the 3G/4G/5G/ISM/CBRS bands and oneport operation over the low//high frequency Wi-Fi bands. An additional fourth port provides an active antenna for enabling GNSS global navigation services.

FEATURES AND BENEFITS

- One single-hole mount/fixing reduces vehicle damage and the cost of installation
- Attractive IP67 low profile aerodynamic housing
- Multiband/multiport operation with GNSS navigation
- Operates well on a ground plane and without a ground plane.

APPLICATIONS

- FirstNet/Public safety
- Transportation
- Aftermarket fleet

- 5G-ready
- Rugged LTE gateways
- Others

Antennen Model	VFP69383B22JN-518J
Port Configuration	2x 3G/4G/5G/ISM/CBRS, 2x WIFI
Watchdog	Watchdog Timer Support, Offer 1 – 255 Step
Operating Frequency (Mhz)	698-806 / 824-894 / 880-960 / 1690-3800 / 2400-2500 / 4900-6000
Azimuth Plane 3db Beamwidth	360° Omnidirectional
Nominal IMpedance (ohms)	50
Polarization	Linear Vertical
Max Power - Ambient 25°C	10 Watts
Dimensions	Mechanical Secifications 179x63x48 mm / 0,63 kg
CableType	LMR 100, Black
Mounting	P-Mount
Baseplate.	Aluminium
Operating Enviroment	Enviremental Specifications Outdoor Vehicle / IP67
Temperatures	Operating Temperature: -30 to +70°C Storage Temperature: -40 to +85°C
Material Substance Compliance	RoHS