

598.00 EUR

incl. 19% VAT, plus shipping



- **Micro-ATX Case !**
- **FANLESS !**
- **Premium Aluminium !**
- **A-ATX11-M1B !**

Support:  [Specifications](#)

2U rack-mountable fanless case for Micro-ATX motherboards with 150W fanless ATX PSU. Supports processors up to 35W TDP with Intel® LGA1851/LGA1700 sockets. Features 4 front 2.5" SATA SSD/HDD hot-swap drive bays and 4 rear low-profile PCIe slots. Perfect for industrial server, control, telecommunication or broadcasting systems.

#### Features :

- Compatible with Micro-ATX and Mini-ITX motherboards with processors up to 35W TDP (LGA1851/LGA1700)
- Fanless cooling and power supply design
- Four-bay 2.5" SATA SSD/HDD mobile rack with secure lock and tool-free installation
- Features four low-profile PCIe expansion slots
- Fits standard 19 inch server racks
- 150W fanless AC-to-DC power supply with multi-voltage output and wide operating temperature range

#### Material

Black sandblasted steel (SGCC) with aluminium heatsink

#### Motherboard Type

Micro-ATX, Mini-ITX

#### Socket Support

Intel® LGA1851, LGA1700

#### Maximum TDP Support

35W

#### Dimensions

481.8 x 307.5 x 87mm (W x D x H)

<b>Drive Bays</b>	4 x 2.5" SATA SSD/HDD bays with door lock (maximum drive height of 9.5mm)
<b>Front I/O Interfaces</b>	2.5" SATA SSD/HDD bays x4, USB 3.2 Gen 1 Type-A ports x2, power LED opening, HDD LED opening, power button
<b>Rear I/O Interfaces</b>	Low-profile PCIe slot x4, motherboard rear I/O opening, power AC inlet and switch
<b>Power Supply Unit (PSU)</b>	150W fanless, AC-to-DC, multi-voltage output power supply
<b>Product Code</b>	A-ATX11-M1B
<b>15th Generation Intel® Processors</b>	Advantech - AIMB-589
<b>Ultra 9 285T</b>	Asrock B860M Pro-A/TPM / B860M-H2
<b>Ultra 7 265T</b>	Asrock Industrial IMB-X1317-10G / IMB-X1317-10G / IMB-1317
<b>Ultra 5 245T</b>	ASUS PRIME H810M-E-CSM
<b>Ultra 5 235T</b>	ASUS IoT Q870M-IM-A
<b>Ultra 5 225T</b>	Aaeon MAX-Q670A
<b>14th Generation Intel® Processors</b>	Advantech
<b>i9-14900T</b>	AIMB-508 / AIMB-588QM-0AB1
<b>i7-14700T</b>	AIMB-588RF-0AB1 / AIMB-588HL-0AB1
<b>i5-14600T</b>	Asrock
<b>i5-14500T</b>	B760M-HDV/M.2 D4 / B760M-HDVP
<b>i5-14400T</b>	Q670M vPro / B660M-HDV
<b>i3-14100T</b>	H610M-H2/M.2 D5 / H610M-HDV/M.2+ D5
<b>300T</b>	H610M-HDV/M.2 R2.0 / H610M-HDV/M.2 H610M-H2/M.2 / H610M-HVS/M.2 R2.0 H610M-HVS / H610M-X D5

**13th Generation  
Intel® Processors**

**i9-13900T**  
**i9-13900TE**  
**i7-13700T**  
**i7-13700TE**  
**i5-13600T**  
**i5-13500T**  
**i5-13500TE**  
**i5-13400T**  
**i3-13100T**  
**i3-13100TE**

Asrock Industrial IMB-1318  
IMB-X1316-10G / IMB-X1316  
IMB-1316 / IMB-1315  
IMB-X1314 / IMB-1314

ASUS Pro B760M-CT-CSM  
PRIME B760M-A D4 / PRIME B760M-K  
PRIME B760M-F D4 / PRIME H610M-D  
PRIME H610M-K / PRIME H610M-R  
PRIME H610M-R D4 / PRIME H610M-A WIFI  
D4  
PRIME B660M-A WIFI D4 / PRIME B660M-A  
D4  
Pro B660M-C D4-CSM

**12th Generation  
Intel® Processors**

**i9-12900T**  
**i9-12900TE**  
**i7-12700T**  
**i7-12700TE**  
**i5-12600T**  
**i5-12500T**  
**i5-12500TE**  
**i5-12400T**  
**i3-12300T**  
**i3-12100T**  
**i3-12100TE**  
**Pentium Gold G7400T**  
**Pentium Gold G7400TE**  
**Celeron G6900T**  
**Celeron G6900TE**

ASUS IoT  
Q670M-EM-A  
Q670EM-IM-A

DFI  
ADS310-R680E  
ADS310-Q670E

Jetway LM26

Kontron  
K3843-B2  
K3843-B  
K3841-Q  
K3842-Q

Mitac PH10ADU

Supermicro X13SAQ