



149.95 EUR

incl. 19% VAT, plus shipping

- **For Intel Core / Core Ultra !**
- **FANLESS !**
- **Premium Aluminium !**
- **A-ITX61-S1B !**

Fanless case for Mini-ITX motherboards with Intel® Core™ and Core™ Ultra processors up to 35W TDP. Features two USB 3.2 Gen 1 Type-A and two USB 2.0 Type-A ports. Supports VESA and wall mounting for space-saving installation. Includes a high-temperature rated, internal 220W DC-DC power adapter. Ideal for industrial automation, point-of-sale (POS), digital signage or other long-life applications.

- Premium aluminium fanless CPU cooling design
- Supports processors up to 35W TDP
- Intel® LGA1851 / LGA1700 / LGA1200 / LGA115X socket support
- Includes 220W DC-to-DC converter designed for stable performance under high operating temperatures
- Ideal for business and industrial environments

Material

Aluminium with anodised black
Thermal Modul: Aluminium module

Motherboard Types

Mini ITX

Socket Support

Intel® LGA1851, LGA1700, LGA1200,
LGA115X

Maximum TDP: 35W

Dimensions

248.6 x 205 x 78.5 mm (W x D x H) / 4.0L

Drive Bays	Only suitable with M.2 SSDs
Front I/O Opening	USB 3.2 Gen 1 (USB 5 Gbps) Type-A x2, USB 2.0 Type-A x2, power button, power/HDD LED
Rear I/O	Motherboard rear I/O opening, antenna fitting holes x2, 4-pin DIN power port x1,
Antenna Fitting Holes	2
Internal DC to DC Converter	220W +3.3V, +5V, +5V standby, +12V, -12V 12V DC-Input 24-pin ATX power connector cable 4+4-pin ATX power connector cable
Mounting	VESA and Wallmounting Support
Product Code	A-ITX61-S1B
Mini-ITX Motherboard Support List	
Aaeon	MIX-H810WV1 MIX-H610A1 MIX-Q670A1
Advantech	AIMB-278Q-LAB1 / AIMB-278Q-EAB1 AIMB-277G2-FLA1E / AIMB-277G2-00A1E
Asrock	B860I Lightning WiFi / B860 WiFi / Z790I Lightning WiFi Z790 PG-ITX/TB4 / Z790M-ITX WiFi / B760I Lightning WiFi B760M-ITX/D4 WiFi / Z690M-ITX/ax / Z690M-ITX/ax H670-ITX/ax R2.0 / H670M-ITX/ax / B660M-ITX/ac B660M-ITX/eDP / H610M-ITX/ac / H610M-ITX/eDP
Asrock Industrial	IMB-1247 / IMB-1246 / IMB-1242 IMB-1241 / IMB-X1238 / IMB-1238 IMB-1237 / IMB-X1200-L / IMB-1225 IMB-1220-L / IMB-1220-D / IMB-1221-L IMB-1221-D / IMB-X1222-WV / IMB-1222 IMB-1222-WV
ASUS	Pro Q870I-C-CSM / PRIME H610I-PLUS-CSM

ASUS IoT	Q870I-IM-A / W680I-EM-A / H610I-EM-A H610I-IM-A / Q670EI-IM-A / R680EI-IM-A / W480EI-IM-A
Gigabyte GigalPC	H610I mITX-Q870A / mITX-H810E / mITX- Q670B mITX-H610B / mITX-H610ED / mITX- H610E mITX-H610EC / mITX-Q67EB / mITX- H610A mITX-Q670A
Jetway	MI23-H610X / MI23-R680X / MI23-Q670X LI32-H6100 / MI92V
Kontron	K3836-Q mITX / K3836-R mITX / K3833- Q mITX
Supermicro	X14SAV-LVDS