



CARTFT.COM
Shop for mobile
PC- and GPS-Solutions

CTF700-SP - VGA 7" TFT - Touchscreen USB - PAL/NTSC - IR Remote - Audio (500 nits)
[LED-Backlight] (XENARC PIN-compatible)
[<http://www.cartft.com/catalog/il/926>]



289.00 EUR

incl. 19% VAT, plus shipping

- **High brightness !**
- **Audio speakers !**
- **Rear CAM feature !**
- **Auto-PowerOn !**



CARTFT.COM

Support: [800x480 Driver \(Windows 7\)](#)

Model for Xenarc-Changers: CTF700-SP can be immediately used in place of a 700Y, 700TS, 700TSV, 800TSV,... The All-In-One cable is pin-compatible.

New : LED-Backlight-Technology, with optimized color saturation enabling particular high and shining display. The scale of displayable color nuances is increased by 45% because of the new technology. Conventional LCDs are based on CCFL backlight, which can display approx. 72% of the standard color scale of NTSC (National Television Systems Committee). With LED-Backlight-Technology 104% of the NTSC-color scale can be displayed. This results in displaying in a highly realistic manner.

The new CTF-700 TFT-Display is the ideal display- and input-unit for your Laptop, CarPC or HTPC. With the touchscreen functionality you easily can control your PC. The brilliant VGA-display ensures a maximum readability and sharpness.

The device has integrated Stereo-speakers, a rear camera input and the dimmer button in the front will enable perfect viewing pleasure also during the night.

AC-Adapter for home usage and a car cigarette lighter adapter is included as well as the IR-

remote-control unit and the extra long (2,5 meters) All-In-One connector cable.

The CTF-700 can be used with any PC/MAC with VGA- and USB port.

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,..
- Macintosh OS 9.x, 10.x
- DOS,..

Spezifications

<i>Screen size</i>	7" digital
<i>Aspect Ratio</i>	16:9 wide TFT screen
<i>Dot Resolution</i>	2400x480= 1,152,000 dots
<i>Physical Resolution</i>	800x480
<i>Supported Resolutions</i>	640x480-1024x768
<i>Color configuration</i>	RGB stripe
<i>Power input</i>	DC 12/24V
<i>Power consumption</i>	max. 8W
<i>Video system</i>	3x Video inputs (PAL/NTSC) (2x with CTF700-SP) 1x VGA input
<i>Dimensions</i>	Display Case : 184x129x32 mm Display : 154 x 93 mm
<i>Video input signal</i>	1.0Vp-p, composite video
<i>Brightness</i>	400 cd/m ²
<i>Contrast</i>	350:1
<i>Vibration</i>	IEC68-2-6
<i>Operating Temperature</i>	0° bis 70°C
<i>Features</i>	Full function OSD control (englisch) Built-in Stereo-speakers Auto Power On/Off Earphone-Output (rear side) Automatic switching to rear camera (by signal detection on AV3) [not with CTF700-SP]
<i>What is included ?</i>	- 7" VGA Touchscreen TFT with Video/Audio-support - Infrared Remote Control - Car dash mounting bracket - Touchscreen pencil - VGA/Video/Audio/Touchscreen-cable (all-in-one !) 2,5 meters length - Power Adapter f. EU 230V - Cigarette Lighter Adapter

- Touchscreen Driver-CD
- Manual

Displays with [True-800x480-Support](#) achieve a pixel accurate view at 800x480@70Hz

